


The FSB 1144 door handle is just as pleasing to the eye as it is to the hand. Jasper Morrison designed this door handle to be instantly recognisable as a tool meant for the hand. Your eyes relax and your hand takes over. Your thumb falls into place, your forefinger finds its hollow and your hand finds something substantial to grasp. This is precisely what the 'Four-Point Guide to Good Grip' drawn up by FSB and Otl Aicher calls for.




Design: Jasper Morrison

Other variants:
 – square roses
 – oval/angular backplates

Lever handle with privacy function


12 1144

Push-button lock, see page 526 ff.



Plug-in handle for doors


15 1144



Window handle





Plug-in handle for windows

34 1144





Lever handles for narrow-stile doors

09 1144 (in-line)
06 1144 (cranked)




Doorknob for narrow-stile doors

07 0846 (cranked)



Glass door fitting

13 4223 with 72 1144




4

Lever/knob sets

Doorknob for flush doors

Knob backplates


Aluminium X = 77 mm
Stainless steel X = 73 mm



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1144 013 (N)
- 72 1144 613 (R)
- 76 1144 613 (R)


- 12 1144 047 (prv)
- 72 1144 614 (L)
- 76 1144 614 (L)




- 15 1144 013 (N)



- 12 1144 007 (N)



- 12 1144 027 (N)




- 13 4223 041 (R) with 10 1144 00500 (N)
- 13 4223 042 (R) with 12 1144 013 (N)
- 13 4223 042 (R) with 72 1144 613 (R)

- 13 4223 051 (L) with 10 1144 00500 (N)
- 13 4223 052 (L) with 12 1144 013 (N)
- 13 4223 052 (L) with 72 1144 614 (L)

Sets for narrow-stile doors



- 09 1144 111
- 09 1144 112 (refit to ILS possible)



- 06 1144 011
- 06 1144 012
- 06 1144 023 (ILS)




- 07 0846 228 (fixed; aluminium and stainless steel)
- 07 0846 228 (fixed; stainless steel)
- 07 0846 428 (fixed; aluminium)




- 17 1757

Lever/knob sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.



- 12 1144 015 (N)
- 72 1144 615 (R)
- 76 1144 615 (R)
- 72 1144 616 (L)
- 76 1144 616 (L)




- 12 1144 009 (N)




- 12 1144 029 (N)

WC sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.




- 12 1144 019 (N)
- 72 1144 619 (R)
- 72 1144 620 (L)



- 15 1144 019 (N)



- 12 1144 011 (N)



- 12 1144 031 (N)

Window handles



- 34 1144 09030 (rose 27 × 62 × 10)
- 34 1144 09039 (rose 32.5 × 70 × 10)
- 34 1144 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1144 170 (lock adaptor RC 1–6)
- 34 1144 076 (lock adaptor with push-button RC 1–6)
- 34 1144 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1144 751 (plug-in handle for PVC profiles, Ø 30)
- 34 1144 714 (plug-in handle, lock adaptor RC 1–6)
- 34 1144 717 (plug-in handle with push-button RC 1–6)

N = non-handed
 prv = lever handle with privacy function
 R = DIN RH, opening inwards
 L = DIN LH, opening inwards
 ILS = inactive-leaf set

Female handles
 Plug-in handle for doors
 FSB ASL®

FSB AGL®
 FS heavy-duty fitting
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.