



We suspect that the underlying shape of the FSB 1015 originated in the 1930s, conceived by a company called Wehag. This version by Johannes Potente is a very clean-lined affair that is particularly sought after in the Netherlands.



Design: Johannes Potente


 EN 179 model: FSB 1045  
 Lever handle with return-to-door

Other variants:  
 – square roses  
 – oval/angular backplates

Lever handle with privacy function


12 1015

Push-button lock, see page 526 ff.



Plug-in handle for doors


15 1015



Window handle

Plug-in handle for windows

34 1015







Custom-coordinated lifting/sliding door handle available upon request, see page 10

Lever handles for narrow-stile doors



09 1015 (in-line)  
06 1015 (cranked)

Option with return-to-door:  
09 1045 (in-line, EN 179)  
06 1045 (cranked, EN 179)  
See page 132




Doorknob for narrow-stile doors

07 0809 (cranked)



## Glass door fitting

13 4220 with 72 1015




4

## Lever/knob sets

Doorknob for flush doors

Knob backplates


- Aluminium  $\varnothing = 50$
- Stainless steel  $\varnothing = 55$
- Bronze  $\varnothing = 50$



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


## Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1015 013 (N)
- 72 1015 613 (R)
- 76 1015 613 (R)
- 79 1045 613 (R)

- 12 1015 047 (prv)
- 72 1015 614 (L)
- 76 1015 614 (L)
- 79 1045 614 (L)




- 15 1015 013 (N)




- 12 1015 001 (N)
- 72 1015 601 (R)
- 76 1015 601 (R)
- 79 1045 601 (R)

- 72 1015 602 (L)
- 76 1015 602 (L)
- 79 1045 602 (L)



- 12 1015 021 (N)
- 72 1015 621 (R)
- 76 1015 621 (R)
- 79 1045 621 (R)


- 72 1015 622 (L)
- 76 1015 622 (L)
- 79 1045 622 (L)




- 13 4220 041 (R) with 10 1015 00500 (N)
- 13 4220 042 (R) with 12 1015 013 (N)
- 13 4220 042 (R) with 72 1015 613 (R)
- 13 4220 090\* with 76 1015 613 (R)
- 13 4220 090\* with 79 1045 913 (N)

- 13 4220 051 (L) with 10 1015 00500 (N)
- 13 4220 052 (L) with 12 1015 013 (N)
- 13 4220 052 (L) with 72 1015 614 (L)
- 13 4220 090\* with 76 1015 614 (L)

## Sets for narrow-stile doors



- 09 1015 111
- 09 1015 112 (refit to ILS possible)
- 09 1045 111
- 09 1045 112 (refit to ILS possible)



- 06 1015 011
- 06 1015 012
- 06 1045 011
- 06 1045 012
- 06 1015 023 (ILS)
- 06 1045 023 (ILS)



- 07 0809 228 (fixed; aluminium and stainless steel)
- 07 0809 228 (fixed; stainless steel)
- 07 0809 428 (fixed; aluminium)

For set in bronze with knob 07 0846, see page 481




- 17 1757


\* Fire safety and EN 179 variants available only in stainless steel; for variants, see page 508

## Lever/knob sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.



- 12 1015 017 (N)
- 72 1015 617 (R)
- 76 1015 617 (R)
- 79 1045 617 (R)
- 79 1045 619 (ILS)
- 72 1015 618 (L)
- 76 1015 618 (L)
- 79 1045 618 (L)




- 12 1015 003 (N)
- 72 1015 603 (R)
- 76 1015 603 (R)
- 79 1045 603 (R)
- 79 1045 605 (ILS)
- 72 1015 604 (L)
- 76 1015 604 (L)
- 79 1045 604 (L)




- 12 1015 023 (N)
- 72 1015 623 (R)
- 76 1015 623 (R)
- 79 1045 623 (R)
- 79 1045 625 (ILS)
- 72 1015 624 (L)
- 76 1015 624 (L)
- 79 1045 624 (L)

## WC sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1015 019 (N)
- 72 1015 619 (R)
- 72 1015 620 (L)



- 15 1015 019 (N)



- 12 1015 005 (N)
- 72 1015 605 (R)
- 72 1015 606 (L)



- 12 1015 025 (N)
- 72 1015 625 (R)
- 72 1015 626 (L)

## Window handles

Custom-coordinated lifting/sliding door handle available upon request, see page 10



- 34 1015 09030 (rose 27 × 62 × 10)
- 34 1015 09039 (rose 32.5 × 70 × 10)
- 34 1015 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1015 170 (lock adaptor RC 1–6)
- 34 1015 076 (lock adaptor with push-button RC 1–6)
- 34 1015 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1015 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed  
 prv = lever handle with privacy function  
 R = DIN RH, opening inwards  
 L = DIN LH, opening inwards  
 ILS = inactive-leaf set

Female handles  
 Plug-in handle for doors  
 FSB ASL®

FSB AGL®  
 FS heavy-duty fitting  
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.