



The FSB 1106 is characterised by the way it marries traditional styling to a wide range of classic hardware materials. It echoes the formal properties of its little brother, the FSB 1135. Technically speaking, though, it has had an FSB compensating bearing added in order to meet the requirements for FSB AGL® and FSB AGL® FS heavy-duty fittings.



Design: Christoph Mäckler


 EN 179 model: FSB 1043
 Lever handle with return-to-door

Other variants:
 – square roses
 – oval/angular backplates

Lever handle with privacy function


12 1106

Push-button lock, see page 526 ff.



Plug-in handle for doors


15 1106



Window handle

Plug-in handle for windows



34 1106



Lever handles for narrow-stile doors


09 1043 (in-line, EN 179)
06 1043 (cranked, EN 179)

Option without return-to-door:
09 1106 (in-line)




Doorknob for narrow-stile doors

07 0846 (cranked)



Glass door fitting

13 4223 with 72 1106






4

Lever/knob sets

Doorknob for flush doors

Knob backplates


Aluminium X = 77 mm
 Stainless steel X = 73 mm
 Bronze X = 72 mm



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1106 013 (N)
- 72 1106 613 (R)
- 76 1106 613 (R)
- 79 1043 613 (R)

- 12 1106 047 (prv)
- 72 1106 614 (L)
- 76 1106 614 (L)
- 79 1043 614 (L)




- 15 1106 013 (N)




- 12 1106 007 (N)
- 72 1106 607 (R)
- 76 1106 607 (R)
- 79 1043 607 (R)

- 72 1106 608 (L)
- 76 1106 608 (L)
- 79 1043 608 (L)



- 12 1106 027 (N)
- 72 1106 627 (R)
- 76 1106 627 (R)
- 79 1043 627 (R)


- 72 1106 628 (L)
- 76 1106 628 (L)
- 79 1043 628 (L)




- 13 4223 041 (R) with 10 1106 00500 (N)
- 13 4223 042 (R) with 12 1106 013 (N)
- 13 4223 042 (R) with 72 1106 613 (R)

- 13 4223 051 (L) with 10 1106 00500 (N)
- 13 4223 052 (L) with 12 1106 013 (N)
- 13 4223 052 (L) with 72 1106 614 (L)

Sets for narrow-stile doors



- 09 1106 111
- 09 1106 112 (refit to ILS possible)
- 09 1043 112 (refit to ILS possible)



- 06 1043 012
- 06 1043 023 (ILS)




- 07 0846 228 (fixed; aluminium, stainless steel and bronze)
- 07 0846 228 (fixed; stainless steel and bronze)
- 07 0846 428 (fixed; aluminium)




- 17 1757

Lever/knob sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.



- 12 1106 015 (N)
- 72 1106 615 (R)
- 76 1106 615 (R)
- 79 1043 615 (R)
- 79 1043 619 (ILS)
- 72 1106 616 (L)
- 76 1106 616 (L)
- 79 1043 616 (L)




- 12 1106 009 (N)
- 72 1106 609 (R)
- 76 1106 609 (R)
- 79 1043 609 (R)
- 79 1043 611 (ILS)
- 72 1106 610 (L)
- 76 1106 610 (L)
- 79 1043 610 (L)




- 12 1106 029 (N)
- 72 1106 629 (R)
- 76 1106 629 (R)
- 79 1043 629 (R)
- 79 1043 631 (ILS)
- 72 1106 630 (L)
- 76 1106 630 (L)
- 79 1043 630 (L)

WC sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.




- 12 1106 019 (N)
- 72 1106 619 (R)
- 72 1106 620 (L)



- 15 1106 019 (N)



- 12 1106 011 (N)
- 72 1106 611 (R)
- 72 1106 612 (L)



- 12 1106 031 (N)
- 72 1106 631 (R)
- 72 1106 632 (L)

Window handles



- 34 1106 09030 (rose 27 × 62 × 10)
- 34 1106 09039 (rose 32.5 × 70 × 10)
- 34 1106 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1106 170 (lock adaptor RC 1–6)
- 34 1106 076 (lock adaptor with push-button RC 1–6)
- 34 1106 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1106 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed
prv = lever handle with privacy function
R = DIN RH, opening inwards
L = DIN LH, opening inwards
ILS = inactive-leaf set

Female handles
Plug-in handle for doors
FSB ASL®

FSB AGL®
FS heavy-duty fitting
EN 179 heavy-duty fitting

For bearings, see page 52 ff.