



In the early 1990s, FSB felt the time had come to give the plain round styling of the stable-door handle a makeover. The neck was conically expanded and a hemispherical tip added to the bent end – two subtle but distinctive changes that have given the revamped FSB 1146 model a character all of its own.




 EN 179 model:
Lever handle with return-to-door

Other variants:
– square roses
– oval/angular backplates

Lever handle with privacy function


12 1146

Push-button lock, see page 526 ff.



Plug-in handle for doors


15 1146



Window handle

Plug-in handle for windows


34 1146



Lifting/sliding door handle


34 1146 011

For more variants, see page 447
For parallel slide/tilt fitting, see page 440




Lever handles
for narrow-stile doors

09 1146 (in-line, EN 179)
06 1146 (cranked, EN 179)




Doorknob
for narrow-stile doors

07 0846 (cranked)



Glass door fitting

13 4223 with 72 1146






4

Lever/knob sets

Doorknob for flush doors

Knob backplates


Aluminium X = 77 mm
Stainless steel X = 73 mm









Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


Lever/lever sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.







 12 1146 013 (N)
 72 1146 613 (R)
 79 1146 613 (R)



 12 1146 047 (prv)
 72 1146 614 (L)
 79 1146 614 (L)







 15 1146 013 (N)






 12 1146 007 (N)
 72 1146 607 (R)
 79 1146 607 (R)




 72 1146 608 (L)
 79 1146 608 (L)






 12 1146 027 (N)
 72 1146 627 (R)
 79 1146 627 (R)


 72 1146 628 (L)
 79 1146 628 (L)






 13 4223 041 (R) with
 10 1146 00500 (N)
 13 4223 042 (R) with
 12 1146 013 (N)
 13 4223 042 (R) with
 72 1146 613 (R)



 13 4223 051 (L) with
 10 1146 00500 (N)
 13 4223 052 (L) with
 12 1146 013 (N)
 13 4223 052 (L) with
 72 1146 614 (L)

Sets for narrow-stile doors






 09 1146 111
 09 1146 112 (refit to ILS possible)



 06 1146 011
 06 1146 012

 06 1146 023 (ILS)




 07 0846 228 (fixed; aluminium and stainless steel)
 07 0846 228 (fixed; stainless steel)
 07 0846 428 (fixed; aluminium)




17 1757

Lever/knob sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.



- 12 1146 015 (N)
- 72 1146 615 (R)
- 79 1146 615 (R)
- 79 1146 619 (ILS)
- 72 1146 616 (L)
- 79 1146 616 (L)




- 12 1146 009 (N)
- 72 1146 609 (R)
- 79 1146 609 (R)
- 79 1146 611 (ILS)
- 72 1146 610 (L)
- 79 1146 610 (L)




- 12 1146 029 (N)
- 72 1146 629 (R)
- 79 1146 629 (R)
- 79 1146 631 (ILS)
- 72 1146 630 (L)
- 79 1146 630 (L)

WC sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 536 f.




- 12 1146 019 (N)
- 72 1146 619 (R)
- 72 1146 620 (L)



- 15 1146 019 (N)




- 12 1146 011 (N)
- 72 1146 611 (R)
- 72 1146 612 (L)



- 12 1146 031 (N)
- 72 1146 631 (R)
- 72 1146 632 (L)

Window handles



- 34 1146 09030 (rose 27 × 62 × 10)
- 34 1146 09039 (rose 32.5 × 70 × 10)
- 34 1146 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1146 170 (lock adaptor RC 1–6)
- 34 1146 076 (lock adaptor with push-button RC 1–6)
- 34 1146 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1146 751 (plug-in handle for PVC profiles, Ø 30)
- 34 1146 011 (lifting/sliding door handle)

N = non-handed
 prv = lever handle with privacy function
 R = DIN RH, opening inwards
 L = DIN LH, opening inwards
 ILS = inactive-leaf set

Female handles
 Plug-in handle for doors
 FSB ASL®

FSB AGL®
 FS heavy-duty fitting
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.