







### Stock finishes - subject to availability:



F1 - Silver Matt SW124



Bronze Metallic SW168



RAL9016 - Traffic White SW070



RAL9005 - Deep Matt Black SW107

#### Special order finishes - lead times apply



Stainless Steel look SW126



Polished Nickel SWN38



Polished Brass SW030



Satin Nickel Look SW125

For more information, installation templates, and measured drawings of this product and others please visit: www.hallidaybaillie.com or contact your authorized Halliday + Baillie dealer. All information subject to change. © 2016 Halliday + Baillie Ltd.

## <u>hallid</u>ay baillie

# **TECTUS**

### TECTUS CONCEALED HINGE

Tectus concealed hinges provide options for quality residential doors and heavy duty doors distinguished by exceptional quality construction of the hinge body, without the look of a hinge.

Perfect for hidden doors, flush cabinetry doors/walls, and wherever a seamless look is required. Hinges come in a range of finishes.

The newly developed convenient continuous height adjustment of +/- 3 mm prevents the door from sagging and enables the door manufacturer to align the door efficiently and hassle free. All types show a full hinge body which covers the routing entirely. The small gap between door and jamb avoids finger injury.

Optimized load capacities (door weights) for 2 hinges:

TE 240 3D - up to 60 kg - min door thickness 30mm

TE 340 3D - up to 80 kg - min door thickness 35mm

TE 526 3D - up to 120 kg (diecast Stainless Steel) - min door thickness 35mm

TE 540 3D - up to 120 kg - min door thickness 45mm

TE 640 3D - up to 200 kg - min door thickness 45mm

A8 versions for cladding of maximum 8mm can be purchased by special order

Stock finishes - subject to availability:

F1 - Silver Matt SW124

Bronze Metallic - SW168

RAL9016 - Traffic White SW070

RAL9005 - Deep Matt Black SW107

Special order finishes - lead times apply Stainless Steel look SW126

Polished Nickel SW038

Polished Brass SW030

Satin Nickel Look SW125

Please note hinges are for interior use or sheltered exterior use only. The exception is the TE526 in stainless steel which can be used externally.

For fittings instructions and further information please contact your local Halliday + Baillie representative