


The FSB 1003 door handle, which has echoes of a miniature door on its side, is decidedly something of a collector's item. Johannes Potente adopted the underlying visual concept and put it to effect in aluminium and stainless steel.




Design: Johannes Potente

Other variants:
 – round roses
 – oval/angular backplates

Lever handle with privacy function


12 1003

Push-button lock, see page 526 ff.



Plug-in handle for doors


15 1003



Window handle

Plug-in handle for windows

34 1003




Custom-coordinated lifting/sliding door handle available upon request, see page 10

FSB 1003


Lever/lever sets

Broad backplate sets available upon request;
for flush-fitted roses, see page 386 f.




➤ 12 1003 041 (N)


➤ 12 1003 049 (prv)




➤ 15 1003 013 (N)



➤ 12 1003 001 (N)



➤ 12 1003 021 (N)



➤ 13 4224 042 (R) with
10 1003 00500 (N)


➤ 13 4224 052 (L) with
10 1003 00500 (N)

Lever/knob sets


Broad backplate sets available upon request;
for associated knobs, see page 328 f.



➤ 12 1003 043 (N)




➤ 12 1003 003 (N)





➤ 12 1003 023 (N)

WC sets


Broad backplate sets available upon request;
for flush-fitted roses, see page 386 f.




 12 1003 045 (N)




 15 1003 019 (N)



 12 1003 005 (N)



 12 1003 025 (N)




Window handles




Custom-coordinated lifting/sliding door
handle available upon request, see page 10



- 34 1003 09032 (rose 27 × 62 × 10)
- 34 1003 09040 (rose 32.5 × 70 × 10)
- 34 1003 09036 (rose 25.5 × 60.5 flush-fitted)
- 34 1003 180 (lock adaptor RC 1–6)
- 34 1003 086 (lock adaptor, with push-button RC 1–6)
- 34 1003 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1003 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed
prv = lever handle with privacy function
R = DIN RH, opening inwards
L = DIN LH, opening inwards
ILS = inactive-leaf set

 Female handles
 Plug-in handle for doors
 FSB ASL®

 FSB AGL®
 FS heavy-duty fitting
 EN 179 heavy-duty fitting

For bearings, see page 52 ff.